

- **Connecting actuators with rotary latches**
- **Standard offering of cable assemblies**

Jacket: Polypropylene

L Cable Length (mm)
Length in mm is defined on next page.
Must be 4 digits. Example: 250mm, **L** = 0250

Rotary Latches			
Non- FMVSS Compliant			
	R4-10 Page XXX		R4-EM Page XXX
FMVSS Compliant			
	R4-20 Page XXX		R4-EM Page XXX
			
	R4-30 Page XXX	R4-EM Page XXX	
			
	R4-50 Page XXX	EM-05 Page XXX	
			
			Ball Fitting

AC Actuators

Cable Assembly




115


Cable Assembly

Y Cable Type **L** Cable Length


Type 1 - Bare Cable (P/N AC-CAB0-1-**L** as shown)




Type 2 - Coated Cable (P/N AC-CAB0-2-**L** as shown)




Type 3 - Jacketed Cable with End Coupling Retainers (Shown with Spring Option) (P/N AC-CBB1-3-**L**-048 as shown)




Type 4 - Jacketed Cable with Snap Ring and Threaded Retainers (P/N AC-COH0-4-**L**-048 as shown)



Type 5 - Jacketed Cable with Snap Ring and End Coupling Retainers (P/N AC-CAH0-5-**L**-048 as shown)




Type 6 - Jacketed Cable with Snub End Coupling and Threaded Retainers (P/N AC-CAC1-6-**L**-048 as shown)



*AC-75 can only use Snub End Coupling.

Type 7 - Jacketed Cable with Snub End Coupling and End Coupling Retainers (P/N AC-CAB1-7-**L**-048 as shown)



*AC-75 can only use Snub End Coupling.

- For full product specifications on cable assemblies, refer to trade drawing J-AC-C.

Notes

Minimum cable length = 115mm (4.5)

The distance between where the cable mounting bracket engages the cable assembly and the point of engagement with the rotary latch is available in different lengths. Please call Southco for assistance.




AC Actuators

Cable Accessories

S Spring Option (Rotary Side Only)


- 0 Without Spring
- 1 With Spring

0 Without Spring
Actuator End (Option A shown)




Cable Part Number Example: AC-CAB0-3-0250-048

1 With Spring
Actuator End (Option A shown)



Cable Part Number Example: AC-CAB1-3-0250-048

- For use with $\varnothing 4$ (.157) rod or Southco cable assembly



Material and Finish

Clip: Acetal


Bracket: Steel

Part Number

Retainer clip see table


Cable assembly contact Southco

Retainer Clip



Latch Series	Part Number	Material	B	C	D	Panel Prep	
						Hole Diameter	Panel Thickness
R4-10	R4-0-43922	Acetal, Black	5.9 (.23)	2.5 (.10)	14.4 (.57)	6.3 (.25)	2.0 (.08)
R4-30							
R4-20	R4-0-43922-1	Acetal, White	6.3 (.25)	4.5 (.18)	16.4 (.65)	6.65 (.26)	4.0 (.16)
R4-50							

Cable Mounting Bracket



Part Number	A
R4-0-50253-1	28 (1.10)
R4-0-50253-2	31 (1.22)

